



Staxis 50 - Tile Based Stacking Screen System

The Staxis 50 Screen System is a 50mm Thick Tile Based Stackable Frame workstation screen system designed to be customised to meet your specific requirements.

The Frames are available in many standard sizes and can also be made to specific customer requirements in our modern production facility with many colour options available. The Staxis 50 Screen System has Purpose Built Junction Posts to suit 1 Way Wall Starters, 2 Way, 3 Way, 4 Way and 120 Degree Angled Posts to Ensure Clean Rigid Junctions are Achieved at all times.

Staxis installation and re-configuration is speedy, effective and economical requiring only an allen key to install. Staxis Screens can be easily added to both vertically and horizontally without the need to dismantle the existing layout. Staxis Insert Tiles are easily fitted by hand without clips following the installation of the frames and services.



The Staxis Tiles are manufactured in many finishes and colours including fabric upholstered tiles with or without 2mm foam backing in a large range of Fabrics and colours available from the many fabric suppliers.



Standard Powdercoat Colours held
Pearl White
Precious Silver Pearl

Other colours Powder Coated to order



Staxis 50 - Options

Integrated **Transom Rail** to hang accessories from the top of the screen anywhere along its length.



When Screens need to be elevated above the floor but still be independent of the furniture then **Airtiles** can be specified to improve the airflow.



12mm **Acoustic Tile** inserts including EcoPanel, Zorb and Cube.



Optional **Pinnable Upholstered Tiles** when specified.



Melamine Inserts in colours from the Laminex Commercial Range of Melamine colours.


Glazed Acrylic Tile Inserts in clear, tinted and coloured acrylic.



Magnetic White Board Inserts



Perforated Steel Tiles powdercoated to your choice of colour.



Function Wall Accessory Tiles (200 or 400mm high) to hang accessories including paper trays, pen holders and more.



Staxis frames can be punched at any level for the reticulation of **Power & Data** cables internally through the screen frames at any nominated level.



Integrated **Power Poles** and **Power Blades** are able to bring power down from the ceiling cavity into the screens at any suitable position.



CMS or Elsafe thick tile mounted power and data outlets can be flush mounted on the surface of tile inserts at any position and level within the screen frame and either soft wired or hard wired to Cat Level 6.



Rod End Shelf Brackets



Full End Steel Brackets

